ROMANIAN-AMERICAN UNIVERSITY 1991 - 2011

JOURNAL OF INFORMATION SYSTEMS & OPERATIONS MANAGEMENT

Vol.5 No.2.1
Special Issue
December 2011

dedicated to the 20th anniversary of the Romanian-American University

20 YEARS OF IT LEGEND

20 YEARS OF EFFORTS – STRATEGY – POSITIVE THINKING 20 YEARS OF HARD WORK - HOPES – ACHIEVEMENTS

A pious tribute to the Rector
Professor Ion Smedescu, PhD
(1925-2008)
Founder of the Romanian-American University



Statement of Purpose

The **JOURNAL** OF INFORMATION **SYSTEMS** & **OPERATION** MANAGEMENT (ISSN 1843-4711), IDB indexation: ProOuest, EBSCO, REPEC and Copernicus, published two times annually by the Romanian American University, is the specialized in IT domains. The articles published apply to the scientists, researchers and users of IT (field), interested in enlarging the knowledge horizon with specialty notions, new work papers and reference studies, to apply in their own field. Through the presentation of some scientific paper works and IT&C culture promotion, necessary for a functional market economy, the journal intends to be a favorable space for debates and a challenge at the same time. Any study or opinion that can contribute to the development of the understanding degree of the IT&C as a science is welcome. JISOM encourages cross-disciplinary research work of Romanian and foreign scholars.

Author Information

The editors invite submissions of articles that deal with important issues in IT&C domains. All submitted manuscripts must be original work that is not under submission at another journal. A resubmission of a manuscript that was previously rejected by the JISOM will be immediately desk rejected. Manuscripts should not exceed 9,000 words and must conform to the JISOM 's style requirements which are guided by The Chicago Manual of Style (14th edition).

Information for authors

Manuscript format:

- Use single column B5 pages, i.e., 176×250 mm; Times New Roman, 11-point English font; single line between each typed line of the manuscript; and use the following settings for the margins: Different odd and even, Top 1,5cm, Bottom 2,2cm, Left 1,75cm, Right 1,8cm, Gutter 0cm, Header and footer from edge 1,25cm
- Begin the manuscript with:
 - o The manuscript title, capitalized
 - The name(s) of the author(s)
 - o The name of the institute and address
 - Abstract
 - \circ Keywords 5-8

The original or technical works can be sent to be published either article form or short communications in English, including the authors' names and affiliations, telephone and email address. The technical conditions for the articles to be presented can be found at http://JISOM.RAU.RO in the "Peer review" section. All submissions should be sent to the journal Editor:

Virgil Chichernea, PhD
Romanian-American University
Bulevardul Expozitiei nr.1, Sector 1, Bucuresti
E-mail: chichernea.virgil@profesor.rau.ro

JOURNAL OF INFORMATION SYSTEMS & OPERATIONS MANAGEMENT

GENERAL MANAGER Professor Ovidiu Folcut

EDITOR IN CHIEF Professor Virgil Chichernea

EDITORIAL BOARD

Academician Gheorghe Păun Academician Mircea Stelian Petrescu Professor Eduard Radaceanu Professor Ronald Carrier Professor Pauline Cushman Professor Allan Berg Professor Kent Zimmerman Professor Traian Muntean

Associate. Professor Susan Kruc Associate Professor Mihaela Paun Professor Cornelia Botezatu Professor Victor Munteanu Professor Ion Ivan Professor Radu Şerban Professor Floarea Năstase Professor Sergiu Iliescu Professor Mircea Cirnu

Professor Stefan Ioan Nitchi Professor Lucia Rusu Professor Ion Bucur Associate Professor Costin Boiangiu Associate Professor Irina Fagarasanu Associate Professor Viorel Marinescu

Professor Victor Patriciu

Lecturer Alexandru Tabusca

Senior Staff Text Processing:

Lecturer Gabriel Eugen Garais Assistant lecturer Mariana Coancă Assistant lecturer Dragos-Paul Pop Romanian Academy Romanian Academy

Romanian Technical Academy James Madison University, U.S.A. James Madison University, U.S.A. University of Dallas, U.S.A. James Madison University, U.S.A.

Universite de la Mediterranee, Aix – Marseille II . FRANCE

James Madison University, U.S.A.
Louisiana Tech University, U.S.A.
Romanian-American University
Romanian-American University
Academy of Economic Studies
Academy of Economic Studies
Academy of Economic Studies
Academy of Economic Studies
University "Politehnica" Bucharest
University "Politehnica" Bucharest
National Technical Defence University,

Romania

University "Babes-Bolyai" Cluj Napoca University "Babes-Bolyai" Cluj Napoca University "Politehnica" Bucharest University "Politehnica" Bucharest University "Politehnica" Bucharest The Technical University of Civil

Engineering Bucharest

Romanian-American University

Romanian-American University Romanian-American University Romanian-American University

JISOM journal details 2011

No.	Item	Value
1	Category 2010 (by CNCSIS)	B+
2	CNCSIS Code	844
3	Complete title / IDB title	JOURNAL OF INFORMATION SYSTEMS & OPERATIONS MANAGEMENT
4	ISSN (print and/or electronic)	1843-4711
5	Frequency	SEMESTRIAL
6	Journal website (direct link to journal section)	http://JISOM.RAU.RO
7	IDB indexation (direct link to journal section / search interface)	ProQuest EBSCO REPEC http://ideas.repec.org/s/rau/jisomg.html COPERNICUS http://journals.indexcopernicus.com/karta.php ?action=masterlist&id=5147

Contact

First name and last name	Virgil CHICHERNEA, PhD Professor
Phone	+4-0729-140815 +4-021-2029513
E-mail	chichernea.virgil@profesor.rau.ro vchichernea@gmail.com

ISSN: 1843-4711

The Proceedings of Journal ISOM Vol.5 No. 2.1

CONTENTS

Editorial

Maria Moise Victor Popa	INFRASTRUCTURE FOR INTEROPERABILITY OF THE E-GOVERNMENT APPLICATIONSBASED ON SEMANTIC WEB SERVICES	434
Dan Ilie Morega Corneliu Garjoaba	IMPLEMETING THE E-MANAGEMENT WITHIN THE SMALL AND MEDIUM ENTERPRISES IN ROMANIA- A PREMISE FOR ENSURING A DURABLE DEVELOPMENT	440
Beatrice Sion Cezar Mihalcescu Alexandra Marginean	THE UTILITY OF ECOTOURISM SPECIALIZED DISCUSSION FORUMS	449
George Magureanu Florea Magureanu	EVIDENCE ADMISIBILITY, ADMINISTRATION AND ASSESSMENT THROUGH THE ELECTRONIC RECORDINGS	457
Ion Lungu Dana-Mihaela Petrosanu Alexandru Pirjan	SOLUTIONS FOR OPTIMIZING THE DATA PARALLEL PREFIX SUM ALGORITHM USING THE COMPUTE UNIFIED DEVICE ARCHITECTURE	465
Lavinia Stanica Daniela Crisan	FRAMEWORK FOR FLEXIBLE REUSE AND ASSEMBLY OFLEARNING OBJECTS – A PILOT PROJECT	478
Alexandru Tabusca	ESTABLISHED WAYS TO ATTACK EVEN THE BEST ENCRYPTION ALGORITHM	485
Ana Maria Mihaela Iordache Ionela Catalina Tudorache Mihai Tiberiu Iordache	AN ECONOMETRICAL MODEL FOR CALCULATING THE ROMANIAN GROSS DOMESTIC PRODUCT	492
Mihai Doinea	OPTIMIZATION ASPECTS OF DISTRIBUTED APPLICATIONS	500
Ovidiu Solomon	STATISTICAL LINEARIZATION METHOD OF DUFFING OSCILLATOR UNDER GAUSSIAN WHITE NOISE EXCITATION	513

Silvia Maria Tabusca	THE INTERNET BETWEEN PROMOTION AND INFRINGEMENT OF THE FUNDAMENTAL RIGHTS - FREEDOMS VS. CYBERCRIMES	519
Codrut Mitroi	QUALITY OF SERVICE ARCHITECTURES APPLICABILITY IN AN INTRANET NETWORK	526
Ruxandra Olimid	PYTHON IMPLEMENTATION OF VISUAL SECRET SHARING SCHEMES	538
Ana Maria Bobeica	STAKEHOLDER'S ROLE IN HEALTHCARE SERVICES AND NEW INFORMATION TECHNOLOGY	551
Georgiana Marin Mihai Catalin Andrei	EXPERT SYSTEMS	561
Gheorghe-Iulian Ionita Stefania Diana Ionita-Burda	INTERNATIONAL AND REGIONAL ORGANIZATIONS WITH ATTRIBUTES AND PREOCCUPATIONS IN PREVENTING AND FIGHTING AGAINST CYBERCRIME AND THEIR MAIN ACCOMPLISHMENTS	570
Alexandru Cristian Rosu Anca Elena Balasoiu	ASPECTS REGARDING ESCROW SERVICES IN ROMANIA, AS AN IMPORTANT PART OFE- COMMERCE ACTIVITY	578
Silvia Maria Tabusca Alexandru Tabusca Virgil Chichernea	SOME LEGAL AND TECHNICAL ASPECTS RELATED TO POSSIBLE INTERNET'S THREATS ON THE FUNDAMENTAL RIGHT TO PRIVATE PROPERTY	584
Alexandra Pricopi Alina Oprescu	THE EVOLUTION OF THE INTELLIGENT CARDS AND THE ROMANIAN MARKET	592
Iuliu Marin Ivanescu	THE PERSPECTIVES OF THE ENERGETIC COMPETITIVENESS IN THE EU AND THE ICT	600

INFRASTRUCTURE FOR INTEROPERABILITY OF THE E-GOVERNMENT APPLICATIONS BASED ON SEMANTIC WEB SERVICES

Maria Moise¹ Victor Popa²

Abstract

The e-Government interoperability is the ability of ICT components/applications to work together, in other words it is the ability of two or more diverse government (ICT) systems or components to sharing and re-use of information-services, inter-linking of administrative tasks, within and between sectors are essential factors for the delivery of high quality, innovative, seamless and customer-centric e-services. The organizational interoperability refers to the cooperation way of the public administrations processes, by defining the communication interfaces between processes. This approach addresses the interoperability of e-government applications at organizational and semantic level, adopting Web services (WS) and Semantic Web Services (SWS) as technological solutions. The e-Government interoperability is becoming an increasingly crucial issue, especially for developing countries that have committed to the achievement of the Millennium Development Goals (MDGs) by 2015³. Enhanced government efficiency and effectiveness coupled with the delivery of basic public services to all citizens are essential components required to achieve such goals. In this context, most governments have finalized the design of national e-government strategies and are busy implementing priority programmes. Today the data needed by policy makers to make better decisions is available but inaccessible. Policy makers are faced not only with overlapping and uncoordinated data sources, but also with the absence of common terms of reference and means of representing these data. This results in the time consuming and complex cost of comparing data that is represented differently. Interoperability will allow data compiled by different agencies to be used together to make faster and better decisions. An important goal of governance is to enable the citizenry to have easier and faster access to government information and services. The seamless flow of data from one government office to another provides the policy maker with the information needed to draft sound policy and deliver better services.

In this paper we present an approach, which addresses the interoperability of e-government applications at organizational and semantic level, adopting Web services (WS) and Semantic Web Services (SWS) as technological solutions. The main objective of this work consists in designing and developing a distributed network of semantic registries in order to publish, find and execute the Web services. The publishing in registries of the Web services consists in the execution of syntactic and semantic matching algorithms between the attributes of the registries and the attributes of Web services.

Keywords: e-government application, interoperability, semantic registries, WSDL standard.

_

¹ PhD Professor at the School of Computer Science for Business Management, Romanian-American University; maria.moise@rau.ro

² National Institute for Research and Development in Informatics, Bucharest, Romania; vpopa@ici.ro

^{3 [7,} e-Government Interoperability Guide].

1 Introduction

Interoperability of computer system is defined by IEEE as "the ability of two or more systems or components to exchange information and to use the information that has been exchanged" [8]. Electronic dictionarie defines interoperability as "The ability of software and hardware on multiple machines from multiple vendors to communicate". Interoperability is a key requirement in developing e-government applications, which must change data and information between them. There are three levels of interoperability, individualized in the scientific literature such as: technical level, semantic level and organizational level. Technical interoperability refers to connecting the systems by defining standard protocols and data formats. Semantics interoperability concerns the exchange of information between systems in a manner understood by these systems. Organizational interoperability refers to the cooperation way of the public administrations processes, by defining the communication interfaces between processes. Results of interoperability, incorporating the three important infrastructures (figure 1) described in EC documentation, support three different communities: governance or the administration of government; citizen services; and international coordination [9]. This approach addresses the interoperability of e-government applications at organizational and semantic level, adopting Web services (WS) and Semantic Web Services (SWS) as technological solutions.




Figure 1 – Infrastructure aspects of Interoperability [9]

The main objective of this work consists in designing and developing a distributed network of semantic registries in order to publish, find and execute the Web services. A web service is a software system identified by a URL, whose public interfaces and bindings are defined and described using XML. Its definition can be discovered by other software systems. These

systems may then interact with the web service in a manner prescribed by its definition, using XML-based messages conveyed by Internet protocols [10]. The publishing in registries of the Web services consists in the execution of syntactic and semantic matching algorithms between the attributes of the registries and the attributes of Web services.

The knowledge base used in this approach includes the following ontologies: "Registries Ontology", used to specify the public administration domains, the attached registries to each domain to publish the Web services, the relationships between domains and the relationships between registries; "Domain Functionality Ontology" used to model the areas functionality and it specifies concepts such as: generic purpose, generic operation, variable, precondition, post condition, precedence etc.; "Service Ontology" used for modeling the Web services and it specifies concepts such as: domain, purpose, method, choreography message, etc.; "Domain Ontology" used for modeling the concepts and relationships within each domain specified in the "Registries" ontology.

2 System Description

2.1 Registries Ontology

Registries Ontology specifies the interest domains of public administration, the registries used within each domain for service publishing, the relationships between the domains, the relationships between registries etc. All concepts of the "Registries" ontology are subclasses of the "Registry" class. The "NodeAddress" property of this class specifies the address of the network node which implements the register. The "Provider", "Reliability", "Fee" and "Availability" attributes specify the provider of the register, respectively the qualitative attributes of the node which implements the register. The figure 2 shows a part of the "Registries" ontology. exemplifies the "People-Evidence" It "ChangeOfCircumstances" subdomain and the "Domain-i" domain. To register the relevant services to "ChangeOfCircumstances" domain it is defined "registry-1" register and to publish the relevant services to "Domain-i" domain is defined "registry-i" register.




Figure 2 - System's architecture

The "NodeAdress" property of the "registry-i" register contains the address of the node that implements that register: (http://ici.ro/ registry-i).

2.2 Domain Functionality Ontology

The Functionality Ontology of the domain encodes concepts and properties such as: "GenericGoal", "GenericOperation", "Precedence", "Function", "Topice", "BusinessRole", "Precondition", "Postcondition" etc. and the relationships between these concepts. The generic goals of a domain are the instances of the "GenericGoal" concept and they represent possible events in that domain. "Topice" and "Synonyms" properties of "GenericGoal" class specify the semantics of the generic purposes. In this example, the "ChangeOfCircumstances" domain, which is a subdomain of the "People-Evidence" domain, contains the following generic purposes: home-changing, civil state changing, name changing etc. The generic operations are instances of the "GenericOperation" concept and they consist on processing used in that domain. The "Function" and "Synonyms" properties of the "GenericOperation" class define the semantics of generic operations. In this example, the "ChangeOfCircumstances" domain contains the generic operations such as: notification of the new home, notification of the new name etc. To each generic purpose is attached a set of generic operations with precedence relationships among them, and these relationships are in accordance with the legislation and regulations on e-government services in the domain. The generic operations contain the input/output messages, and these messages are composed of variables. The variables can be local (recognized only in the context of a single generic operation) or global (recognized in the context of a generic purpose). The semantics of variables is defined by "Business Role" property, which takes values in the set of concepts defined by domain ontology.

2.3 Service Ontology

The Web services are described syntactically in compliance with WSDL standard: port, method, binding, communication protocol etc. In order to add the semantics, the WSDL format extends as follows:

- 1. for each method of the service it is specified the method functionality using "Function" and "Synonyms" attributes.
- 2. are specified the purposes of the service using the attributes "Topice", "Domain" and "Synonyms".
- 3. it is specified the choreography attached to each purpose (method sequence).
- 4. are specified qualitative attributes of Web service. The "Service" ontology defines the WSDL-S format obtained by extending WSDL format.

2.4 Domain Ontology

The domain ontology defines the concepts and relationships for each existing domain in "Registries" ontology. The domain ontology describes some economic, legal, business and structural aspects. The concepts defined by domain ontology are used for annotation of input/output variables corresponding to generic operations specified in functionality ontology of the domain.

3 The architecture and components

The distributed network used for publishing, retrieving and invoking Web services include the following nodes: one node to implement each register specified in the "Registries" ontology, the "GateWay" node to enter the network, the "Auxiliary" node used as a backup node of the "GateWay" node. The components for registries network management are the following: "Management Registries Ontology" (MRs), "Management Registry" (MR), "Execution and Monitoring Web Services" (EMS).

- the MRs component is implemented in the GateWay node of the network. This component allows to add new domains in the ontology, to create register instances for existing domains, the notification of changes made to the "Auxiliary" node, allows searches in the "Registries" ontology, initialization of the register type nodes;
- the MR component is implemented in each register type node from the network. This component allows the management of the domain ontology, the functionality ontology management of the domain, publishing Web services in the registries, the retrieval of the published services by various criteria;
- the EMS component is implemented in each register type node of the network. This
 component allows invoking generic purposes defined in domain functionality
 ontology, mapping the generic goals with the concrete goals which are specified in
 the description of services, execution and monitoring of concrete goals in accordance
 with their attached choreographies;
- the described network it is not an authentic "peer-to-peer" network, but it is a hybrid network, because the GateWay node it is the only node that keep up to date the "Registries" ontology and initiate the new nodes added to the network. The GateWay node is the only node that can fail during the change of Registries ontology, but the failure of this node has no impact on the activity of register type node.

4 Scenarios for using the system

The above described system can be used for:

- Web services publishing in a register (R) specified in the "Registries" ontology: the Web service provider describes its service according to the "Service" ontology and sends the description to the network node that implements the R register. The MR component implemented in the node performs the following activities:
 - a. for each specific scope (S) contained in the service description it is verified the existence of a generic scope (GS) in the domain functionality ontology, so that the description of the S scope matches the description of GS generic scope;
 - b. it is verified if the descriptions of methods attached to the S scope match the descriptions of generic purposes/scopes attached to the GS generic scope;
 - c. it is verified if the choreography attached to S scope checks previous relationships attached to the GS generic scope. If the three checks succeed then in the R register it is created the entry (GS, S).
- the execution of Web services published in a register (R):
 - a. the user selects the generic scope (GS) that wishes to invoke;
 - b. the user selects from the R register a S scope which is registered with GS;

c. to system perform the S scope invoking each method of the choreography attached to it. In case of exceptions during the execution of S scope, the user must make the proper decisions on how to continue the execution.

5 Conclusion

The e-government applications has the potential to change public administrations' organization and operation and facilitate the interaction with clients and the interoperability is a key requirement in developing e-government applications, which must change data and information between them. In this paper we presented an approach need, that can be used in designing and developing a distributed network of semantic registries in order to publish, find and execute the Web services.

References

- [1] Tambouris, E., Loutas, N., Peristeras, V., Tarabanis, K., The role of interoperability in eGovernment applications: An investigation of obstacles and implementation decisions, *Proc. of Digital Information Management, 2008. ICDIM 2008. Third International Conference*, London, 381-386 pp.
- [2] Laskaridis G., Markellos K., Markellou P., Panayiotaki A., Sakkopoulos E., Tsakalidis A., E-government and Interoperability Issues, *IJCSNS International Journal of Computer Science and Network Security*, Vol.7 No.9, September 2007.
- [3] Moise M., Popa V., Zingale M., Constantinescu L., Pirjan A., 2008, WebAgeing A flexible System for Personalized Accessing of Services for Ageing Population, *International Journal ofn Computers Communications & Control*, Vol. III, Supplimentary Issue Proceedings of ICCCC 2008, 408-413 pp., Agora University Editing House.
- [4] Popa V., Constantinescu L., Popa V., Moise M., Rotuna C., 2010, Management of Web Services Communities, WSC System, *Studies and Informatics Control Review*, Vol. 4., Issue 3, 2010, pp. 295-308.
- [5] Zingale M., Moise M., 2009, Research, Methods and Strategies used in e-Government Systems/Applications, *Proc. of The Management International Conference Creativity, Innovation and Management*, 25-28 November, 2009, Sousse, Tunisia, 1553-1565 pp., Published by the University of Primorska.
- [6] Moise M., Popa V., Pirjan Al., Zingale M., 2008, Integrated System Based on Open Standards for Public Administration-Webgovernment, Proceedings of Management International Conference Intercultural Dialogue and Management MIC 2008, 26-29 Nov, 2008, Barcelona, Spain, 7 pp., Published by the University of Primorska, Facultz of Management Koper.
- [7] *** http://www.ibm.com/ibm/governmentalprograms/undp-gif-guide.pdf.
- [8] Institute of Electrical and Electronics Engineers. IEEE Standard Computer Dictionary: A Compilation of IEEE Standard Computer Glossaries. New York, 1990.
- [9] http://www.epractice.eu/files/4.7.pdf
- [10] Booth, D., Haas, H., McCabe, F., Newcomer, E., Champion, M., Ferris, C., & Orchard, D. (2004). Web Services Architecture. W3C, http://www.w3.org.